# ACID REDUCER ORIGINAL STRENGTH- famotidine tablet, film coated Rite Aid Corporation

-----

#### **Rite Aid Corporation Acid Reducer Drug Facts**

# **Active ingredient (in each tablet)**

Famotidine 10 mg

## Purpose

Acid reducer

#### Uses

- relieves heartburn associated with acid indigestion and sour stomach
- prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain food and beverages

## Warnings

**Allergy alert**: Do not use if you are allergic to famotidine or other acid reducers

#### Do not use

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

#### Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness**, **sweating**, **or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- kidney disease

### Ask a doctor or pharmacist before use if you are

taking a prescription drug. Acid reducers may interact with certain prescription drugs.

### Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days

# If pregnant or breast-feeding,

ask a health professional before use.

#### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

#### **Directions**

- adults and children 12 years and over:
- to **relieve** symptoms, swallow 1 tablet with a glass of water. Do not chew.
- to **prevent** symptoms, swallow 1 tablet with a glass of water at any time from **15 to 60 minutes before** eating food or drinking beverages that cause heartburn
- do not use more than 2 tablets in 24 hours
- children under 12 years: ask a doctor

#### Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20°-25°C (68°-77°F)
- protect from moisture

# **Inactive ingredients**

carnauba wax, hypromellose, iron oxides, magnesium stearate, microcrystalline cellulose, pregelatinized starch, polydextrose, polyethylene glycol, talc, titanium dioxide, triacetin

#### Questions or comments?

1-800-719-9260

#### **Principal Display Panel**

SEE NEW WARNINGS

Compare to the active ingredient of Pepcid® AC Original Strength

ACID REDUCER

Famotidine Tablets, 10 mg

acid reducer

**ORIGINAL STRENGTH** 

Just one tablet prevents & relieves heartburn due to acid indigestion

**ACTUAL SIZE** 

30 TABLETS



heartburn due to acid indigestion brought on by eating and drinking certain foods and beverages.

SATISFACTION CUARANTEE

Compare to the active ingredient of

Pepcid® AC Original Strength\*

SEE NEW WARNINGS

NDC 11822-0141-3

Famotidine Tablets, 10 mg

acid reducer

ORIGINAL STRENGTH

lust one tablet prevents & relieve heartburn due to acid indigestion

Eat slowly and avoid big meals



Consumer Inc., distributor of Pepcid® AC Original Strength. This productis not manufactured or dstributed by Johnson & Johnson

14165 83 C3



# ACID REDUCER ORIGINAL STRENGTH

famotidine tablet, film coated

#### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:11822-0141

Route of Administration ORAL

# **Active Ingredient/Active Moiety**

I	Ingredient Name	Basis of Strength	Strength
I	FAMO TIDINE (UNII: 5QZO15J2Z8) (FAMOTIDINE - UNII:5QZO15J2Z8)	FAMOTIDINE	10 mg

Inactive Ingredients	
Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICRO CRYSTALLINE CELLULO SE (UNII: OP1R32D61U)	
POLYDEXTROSE (UNII: VH2XOU12IE)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)	
TRIACETIN (UNII: XHX3C3X673)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	

<b>Product Characteristics</b>	Product Characteristics				
Color	PINK	Score	no score		
Shape	ROUND	Size	8mm		
Flavor		Imprint Code	L141		
Contains					

P	Packaging					
#	Item Code	Package Description	<b>Marketing Start Date</b>	<b>Marketing End Date</b>		
1	NDC:11822-0141-3	30 in 1 CARTON	09/10/2009			
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product				
2	NDC:11822-0141-4	40 in 1 CARTON	09/10/2009	10/16/2012		
2		1 in 1 BLISTER PACK; Type 0: Not a Combination Product				
3	NDC:11822-0141-1	2 in 1 CARTON	09/10/2009			
3		90 in 1 BOTTLE; Type 0: Not a Combination Product				

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
ANDA	ANDA075400	09/10/2009			

# Labeler - Rite Aid Corporation (014578892)

Revised: 11/2020 Rite Aid Corporation